

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 64-48-00266
Name of Facility: Spruce Creek High School-Cafeteria
Address: 801 Taylor Road
City, Zip: Port Orange 32127

Type: School (9 months or less)
Owner: Volusia County School Board
Person In Charge: Carie Starkey Phone: (386) 322-6272 x38099
PIC Email: CaStarke@volusia.k12.fl.us

Inspection Information

Purpose: Routine
Inspection Date: 5/3/2019
Correct By: None
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 0
Number of Repeat Violations (1-57 R): 0
FacilityGrade: N/A
StopSale: No

Begin Time: 10:00 AM
End Time: 01:00 PM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- NA** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- NA** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

- NA 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- IN 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- IN 35. Approved thawing methods
- IN 36. Thermometers provided & accurate

FOOD IDENTIFICATION

- IN 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

- IN 38. Insects, rodents, & animals not present
- IN 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- IN 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

- NA 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

- IN 47. Food & non-food contact surfaces
- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

- IN 50. Hot & cold water available; adequate pressure
- IN 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- IN 53. Toilet facilities: supplied, & cleaned
- IN 54. Garbage & refuse disposal
- IN 55. Facilities installed, maintained, & clean
- IN 56. Ventilation & lighting
- IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

No Violation Comments Available

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

Inspection was conducted during the preparation, service, and clean-up of normal lunch menu items. The following observations were made, including:

Hot Water from Handwashing Sink = 120 Deg. F.
Milk from Milk Box on Service Line = 39.0 Deg. F.
Milk Box = 40 Deg. F.
Baked Spaghetti from Service Line = 191 Deg. F.
Peperoni Pizza from Service Line = 148 Deg. F.
Cheese Bread from Hot Holding = 147 Deg. F.
Green Beans from Hot Holding = 152 Deg. F.
Auto-Sham 2-Door Hot Holding Oven = 195 Deg. F.
Popcorn Chicken on Salad from Cold Holding = 38.8 Deg. F.
Salad Dressing from Cold Holding = 39.5 Deg. F.
Traulson 3-Door Cooler #3 = 40 Deg. F.
Sliced Cucumber on Salad from Cold Holding = 35.6 Deg. F.
Traulson 3-Door Cooler #2 = 34 Deg. F.
Traulson 3-Door Cooler #1 = 35 Deg. F.
Traulson 3-Door Freezer = 4 Deg. F.
Three (3) Compartment Sink in use, as follows:
Wash with Premium Pot and Pan Detergent = 119 Deg. F.
Rinse = 118 Deg. F.
Sanitize with DS-10R @ 200 PPM Quat = 76.5 Deg. F.

No violations observed.

Email Address(es): nnhamilt@volusia.k12.fl.us;
CaStarke@volusia.k12.fl.us

Inspection Conducted By: Andrew Pecaut (80109)
Inspector Contact Number: Work: (386) 274-0694 ex.
Print Client Name:
Date: 5/3/2019

Inspector Signature:

Client Signature: